

Exchange Rollers Program (Rollers on Stock)

Heidelberg												
Model	Inking Unit						Dampening Unit					
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.	
OHT 260 x 380 mm	■											
Quickmaster 46 340 x 460 mm	■						◆					
GTO 52 360 x 520 mm	■						◆					
Printmaster 52 370 x 520 mm	■						◆					
SM 52 / SX 52 370 x 520 mm	■	■	■	⬡			◆	◆	◆			
M-Offset 480 x 650 mm	■						◆					
SORM 520 x 740 mm	■						◆					
SORS 720 x 1020 mm	■				●		◆			●		
SM 72 520 x 720 mm	■						◆					
SM 74 530 x 740 mm	■				●		◆			●		
SM XL 75 / CD 74 530 x 750 mm	■	■	■	⬡	●		◆	◆	◆	●	▲	
SM 102 / CD 102 / CX 102 720 x 1020 mm	■	■	■	⬡	●	▴	◆	◆	◆	●	▲	
XL 105 XL 106 750 x 1060 mm	■	■	■	⬡	●	▴	◆	◆	◆	●	▲	
XL 145 1060 x 1450 mm	■	■		⬡			◆	◆			▲	
XL 162 1210 x 1620 mm	■	■		⬡			◆	◆			▲	

Legend:

- : Ink Roller
- ⬡ : Easy Cleaning System (Compound 377)
- : Vita (low migration printing for food packaging)
- ▴ : PU Ink Roller
- ◆ : Dampening Roller
- ▲ : Pro Aqualis (coated dampening roller)

Exchange Rollers Program (Rollers on Stock)

KBA-Planeta

Model	Inking Unit						Dampening Unit				
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.
Rapida 75 / 75 E 530 x 750 mm	■						◆				
Rapida 75 Pro / 76 530 x 750 mm	■						◆				
Rapida 105 Un. 720 x 1050 mm	■					●	◆			●	
Rapida 105 740 x 1050 mm	■					●	◆			●	▲
Rapida 106 740 x 1060 mm	■	■	■	⬡	●	▤	◆	◆	◆	●	▲
Rapida 142 1020 x 1420 mm	■				●	○	◆			●	▲
Rapida 145 1060 x 1450 mm	■	■	■	⬡		○	◆	◆	◆		
Rapida 162 1120 x 1620 mm	■				●	○	◆			●	
Rapida 164 1205 x 1640 mm	■	■	■	⬡		○	◆	◆	◆		
Metalstar 2 1000 x 1200 mm	○	○	○			○	○	○	○		
Metalstar 3 1000 x 1200 mm	○	○	■			○	○	○	◆		

manroland

Model	Inking Unit						Dampening Unit				
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.
Roland 500 530 x 740 mm	■						◆				
Roland 700 720 x 1020 mm	■	■	■	⬡	●	▤	◆	◆	◆	●	▲
Roland 700 Evo. / HiPrint 740 x 1040 mm	■						◆				
Roland 900 / Format 6 1000 x 1400 mm	■						◆				

Legend:

■ : Ink Roller

▤ : PU Ink Roller

○ : Roller-core (produced in case of an order)

⬡ : Easy Cleaning System (Compound 377)

◆ : Dampening Roller

● : Vita (low migration printing for food packaging)

▲ : Pro Aqualis (coated dampening roller)

Issue: 01/2021

Exchange Rollers Program (Rollers on Stock)

Komori

Model	Inking Unit						Dampening Unit				
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.
Lithrone 28 520 x 720 mm	■						◆				
Lithrone S 29 530 x 750 mm	■						◆				
Lithrone L 40 720 x 1030 mm	■				●		◆			●	
Lithrone S 40 720 x 1030 mm	■	■		⬡	●		◆	◆		●	
Lithrone GL 40 720 x 1030 mm	■	■		⬡			◆	◆			

Mitsubishi

Model	Inking Unit						Dampening Unit				
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.
3F-H 720 x 1020 mm	■						◆				

Goss

Model	Inking Unit						Dampening Unit				
	KON	MIX	UV	ECS	VITA	PU	KON	MIX	UV	VITA	PRO-A.
M600 M600D	■						◆				

Legend:

- : Ink Roller
- ⬡ : PU Ink Roller
- ⬡ : Easy Cleaning System (Compound 377)
- ◆ : Dampening Roller
- : Vita (low migration printing for food packaging)
- ▲ : Pro Aqualis (coated dampening roller)

Exchange Rollers Program (no core return)

Heidelberg

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
GTO 46 330 x 460 mm	◆				◆		
SORK 480 x 650 mm	◆				◆		

KBA-Planeta

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
Rapida 72 510 x 710 mm	◆				◆		
Rapida 74 520 x 740 mm	■				◆		
Rapida 104 710 x 1020 mm	■				◆		

manroland

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
R 200 OB 520 x 740 mm	◆				◆		
R 200 E 520 x 740 mm	■				◆		
R 300 530 x 740 mm	■				◆		
Rekord 3B 720 x 1020 mm	◆				◆		
R 600 720 x 1020 mm	◆				◆		
R 800 – Format 6 1000 x 1400 mm	◆				◆		

Komori

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
Lithrone L 26 460 x 640 mm Serie > 158 < 2000	◆				◆		
Lithrone L 28 520 x 720 mm Serie > 106 < 2000	◆				◆		
Lithrone L 40 720 x 1030 mm Serie > 416 < 516	◆				◆		

Mitsubishi

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
1F/H 520 x 720 mm	◆				◆		

Ryobi

Model	Inking Unit				Dampening Unit		
	KON	MIX	UV	ECS	KON	MIX	UV
522 HX 375 x 500 mm	■				◆		

Legend:

- : Ink Roller from stock available (one way core)
- ◆ : Dampening Roller from stock available (one way core)
- ◆ : One way core (produced in case of an order)