

VitaWash-UV

Wash for Roller and Blankets in UV

It is suitable for both manual cleaning and use in automatic washing systems to remove UV inks. Applicable especially in food packaging printing.

Application

- 🌈 flash point > 80 °C
- 🌈 completely water miscible, free of aromatics, corrosion inhibited
- 🌈 high wash quality
- 🌈 slow evaporation
- 🌈 good chemical compatibility with UV resistant rubber rollers and blankets
- 🌈 not suitable for conventional roller qualities
- 🌈 may attack non baked positive plates


Features

We recommend setting the washing system to optimise the cleaning cycle and VitaWash-UV performance. In case of manual cleaning, use VitaWash-UV undiluted. Apply the wash to the blanket or roller, then finally rinse with water until all ink and cleaning agent residues have been removed.

Follow the automatic washing system manufacturers' operating instructions. If manual cleaning with a hand rag, wear protective gloves during application, follow all press safety instructions.

Note

VitaWash-UV is approved by the manufacturers Heidelberg and manroland for use in their machines. It is certificated by ISEGA, intended use provided, VitaWash-UV is therefore appropriate for the application in the food packaging printing.





- 20 litre can
- 200 litre barrel
- 1000 litre container

Package

VitaWash-UV is classified according to EC-Directive 1999/45/EC - in its latest version and does not need to be marked.

VitaWash-UV is not a dangerous good in the sense of national and international transport regulations.

Marking

All our product information sheets, as well as our contact data you will find on the internet www.boettcher-systems.com.


Felix Böttcher GmbH & Co. KG

Headquarter

Stolberger Str. 351 - 353
50933 Cologne, Germany
Phone +49 (0) 221 4907 - 1
Fax +49 (0) 221 4907 - 435
koeln@boettcher-systems.com



www.boettcher.de/contact



The purpose of these technical data is to assist our customers. We list general experience and laboratory test. Translation of these to actual applications is, however, subject to a variety of factors which are beyond our control. We ask for understanding that claims can not be based upon them.